

PRODUCT GUIDE

IMPROVED > PRODUCT > CONQUEST



Daywalk supplies our domestic and global customers with an extensive range of warehouse storage and transport equipment including:

- > pallets
- > stillages
- > preservation products
- > strapping

In more recent years, the company has expanded our value proposition with the development of engineer designed steel pallets featuring safe load restraint guidelines. The

adaptive pallet range has been developed to directly address key legislative changes to the Chain of Responsibility Legislation Australia (COR).

In response to customer demand globally, we've also introduced a flexible paint-on coating, SKN Ultimate Rust Protectant, applied for the protection and preservation off abricated metals and steel parts. When the part is ready for use, SKN easily peels off revealing the original machined surface free of corrosion or rust. Always

innovating, an aerosol version has been developed for even easier application. The trajectory since product launch has been phenomenal with manufacturing and supply partners now established in Australia and the USA.



Contents

- 1 Steel Pallet & Accessories
- 2 Steel Cages & Storage
- 3 Timber Pallets & Collars
- 4 Plastic Pallets & Bins
- 5 Safety Strapping & Restraints
- 6 UV/VCI Protection & Rust Prevention
- 7 Silica Gel & Breathers
- 8 DG Storage & Transport
- 9 Pallet Wrappers & Scales

STORE > SECURE > PROTECT


Formally known as Omni-tuff, Daywalk is the new face of the company as we advance into the next decade with a renewed outlook to grow with our customers.

Our range of systems are designed to enhance safety and minimise waste by facilitating operational and cost efficiencies across the board. Purpose designed, they're engineered to prolong the lifecycle of valuable assets

and protect people in the field through the integration of advanced safety features. Due to our extensive product range, we have the unmatched capacity to custom build universal solutions fit for purpose.

Daywalk Solutions

- > OH&S in onsite storage
- > CoR compliance in transport
- > Preservation & rust prevention



We're in the business of storing, securing and protecting.

FUTURE PROOF > INNOVATION



Since our humble beginnings in 1999, the Daywalk philosophy has been underpinned by a future-proof focus to innovate. Every team member and supply partner is committed to finding solutions to logistical challenges that universally provide safe and effective operational reliability. Where an industry gap is evident, we strive to fill it with a

system that makes quantifiable improvements to our customers' bottom line. Importantly, we also take extensive measures to innovate solutions that limit wastage by extending the lifespan of heavy machinery through protection and preservation. Forging ahead, we look forward to creating cutting edge industry prospects for the benefit of all.

**Collaborative
Purpose**



**Collective
Potential**

We're in the business of setting the industry pace.

STEEL PALLET & ACCESSORIES

Steel Pallet Range

> MEDIUM DUTY RANGE

WLL - 3T to 7T
(2320mmL x 1500mmW) to (3500mmL x 2320mmW)

> HEAVY DUTY RANGE

WLL - 1T to 10T
(1160mmL x 580mmW) to (3500mmL x 2320mmW)

> ACCESSORIES

Bolts, Chocks and Spreader Plates

> CUSTOM RANGE

Custom sizes & accessories available



Benefits

- Meets CoR Obligations
- Load Restraint Engineered, with Load Guides
- Safer than timber
- Engineer rated and approved
- In stock range
- Multi-use, versatile design
- Innovative Accessories so you can customise your own frame
- Training and Support
- Safety Assured

Applications

- Used for transporting heavy equipment between sites
- Safer long-term storage of heavy components onsite
- Economical alternative to custom built frames
- Safer than wooden pallets

Steel Pallet Accessories

HOLD-DOWN BOLTS



Custom design and engineered to ensure safe attachment of heavy equipment to the pallet.

SPREADER PLATES




Ensures the weight on the pallet is evenly distributed across the pallet for greater safety when transporting heavy equipment.

CHOCKS





Transporting round items can be a challenge. This is an adjustable chocking system designed for flexibility to safely restrain round equipment.



STEEL PALLET FOUR WAY ENTRY

1165X1165mm





Product Data

ITEM CODE & NAME:

- **13-PSG1165** Four Way Entry Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 1165mmx1165mmx185mm
- 2 Tonne Capacity; Load Evenly Distributed
- 4 x Lashing Points
- Four Way Entry
- Pallet Racking Compatible
- Anti-Tipping Bars
- Powdercoated Yellow
- Forklift Safety Cambered Underrail

USER TIPS:

- Ideal for long term storage
- In stock - saves time and money compared to transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET MEDIUM DUTY 3T

2320x1500mm





Product Data

ITEM CODE & NAME:

- **13-PMGG2320/1500** 3T Medium Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx1500mmx255mm
- Engineered long-life coating system
- 3 Tonne Capacity Load Evenly Distributed
- 6 x Top Lashing Points & 8 x Base Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frame

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET MEDIUM DUTY 5T

2320x2320mm





Product Data

ITEM CODE & NAME:

- **13-PMGG2320/2320** 5T Medium Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx2320mmx275mm
- Engineered long-life coating system
- 5 Tonne Capacity Load Evenly Distributed
- 6 x Top Lashing Points & 8 x Base Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET MEDIUM DUTY 5.5T

3500x1800mm





Product Data

ITEM CODE & NAME:

- **13-PMGG3500/1800** 5.5T Medium Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 3500mmx1800mmx275mm
- Engineered long-life coating system
- 5.5 Tonne Capacity Load Evenly Distributed
- 8 x Top Lashing Points & 8 x Base Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET MEDIUM DUTY 7T

3500x2320mm





Product Data

ITEM CODE & NAME:

- **13-PMGG3500/2320** 7T Medium Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 3500mmx2320mmx275mm
- Engineered long-life coating system
- 7 Tonne Capacity Load Evenly Distributed
- 6 x Top Lashing Points & 8 x Base Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 1T

1160X580mm





Product Data

ITEM CODE & NAME:

- **13-PSGG0580** 1T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 1160mmx580mmx196mm
- Engineered long-life coating system
- 1 Tonne Capacity
- 4 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 2T

1160x1160mm





Product Data

ITEM CODE & NAME:

- **13-PSGG1160** 2T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 1160mmx1160mmx209mm
- Engineered long-life coating system
- 2 Tonne Capacity
- 4 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Pallet racking compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 3T

2320X1160mm





Product Data

ITEM CODE & NAME:

- **13-PSGG2330** 3T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx1160mmx209mm
- Engineered long-life coating system
- 3 Tonne Capacity
- 6 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Pallet racking compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998


USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 6T

2320X1500mm





Product Data

ITEM CODE & NAME:

- **13-PSGG2330/1500/6T** 6T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx1500mmx250mm
- Engineered long-life coating system
- 6 Tonne Capacity
- 8 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 8T

2320x2320mm





Product Data

ITEM CODE & NAME:

- **13-PSGG2320/2320/8T** 8T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx2320mmx250mm
- Engineered long-life coating system
- 8 Tonne Capacity
- 8 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998


USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 10T

3500X1500mm





Product Data

ITEM CODE & NAME:

- **13-PSGG3500/1500/10T** 10T Heavy Duty Steel Pallet

SPECIFICATIONS:

- Ext. Dimensions: 3500mmx1500mmx250mm
- Engineered long-life coating system
- 10 Tonne Capacity
- 8 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HEAVY DUTY 10T

3500x2320mm





Product Data

ITEM CODE & NAME:

- **13-PSGG3500/2320/10T** 10T Heavy Duty Steel Pallet

SPECIFICATIONS:


- Ext. Dimensions: 3500mmx2320mmx250mm
- Engineered long-life coating system
- 10 Tonne Capacity
- 10 x Lashing Points
- Steel Grid Mesh Top
- Forklift Compatible
- Designed to AS/NZS 1170.0 – 2002 AS/NZS 1170.1 – 2002: AS 4100 – 1998

USER TIPS:

- Load restraint engineered to comply to Chain of Responsibility. Refer to Daywalk Steel Pallet Guide.
- Engineered to be compatible with Daywalk bolting
- In stock - saves time and money compared to custom transport frames

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET HOLD DOWN BOLTS





Product Data

ITEM CODE & NAME:

- **13-BDK158** Hold Down Bolt Kit, M20 x 158mm
- **13-BDK258** Hold Down Bolt Kit, M20 x 258mm

SPECIFICATIONS:

- M20 Thread
- 158mm or 258mm Thread Length
- T-Bar with holding pins for locking to grid mesh
- c/w Spring washer, Flat bar washer, 2x Nuts, & Spring mesh attachment
- Nyloc nut option available
- Custom sizes available

USER TIPS:

- Spring loaded system removes need for hand access under pallet deck
- Locking down components to Rated Steel Pallets
- Load restraint engineered for transport. Refer to Daywalk Steel Pallet Guide
- Compatible with DAYWALK Steel Pallet System
- Easy two step push & twist placement

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET CHOCKING ATTACHMENTS





Product Data

ITEM CODE & NAME:

- **13-CSA/R1000/BK** Chocking System w/ 1000mmL Rail
- **13-CSA/R500/BK** Chocking System w/ 500mmL Rail

SPECIFICATIONS:



- 500mm or 1000mm Adjustable Rail
- Certified Horizontal Double Chock System
- 2 x Rubber lined chocks
- 2 x Pin and Clip Systems
- 2 x 13-BDK158 Bolt Down Kit to suit Engineer Rated Steel Pallet; Includes washer, nut and T-bolt (150mm)
- Anti-slip mat for under Chocking bar
- Custom chock sizes available to suit diameters of up to 1400mm

USER TIPS:

- Used for chocking of round equipment, e.g. cylinders, shafts
- Adjustable rail allows for chocking multiple sizes of round items
- Compatible with DAYWALK Steel Pallet System

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL PALLET SPREADER PLATES





Product Data

ITEM CODE & NAME:

- **13-SP250/250** 250x250mm Spreader Plate
- **13-SP400/150** 400x150mm Spreader Plate
- **13-SP400/400** 400x400mm Spreader Plate
- **13-SP500/350** 500x350mm Spreader Plate

SPECIFICATIONS:



- Sizes:
 - > 250x250mm
 - > 400x150mm
 - > 400x400mm
 - > 500x350mm
- Hot Dip Galvanised Spreader Plate
- Top & Bottom Load Restraint Rubber Inserts
- Compatible with Bolt Kit

USER TIPS:

- Allows for safe spreading of a load on Rated Steel Pallets
- Prevents crushing from point load penetration during emergency braking
- Compatible with DAYWALK Steel Pallet System
- Load restraint engineered for transport. Refer to Daywalk Steel Pallet Guide

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

LOAD RESTRAINT MATTING





Product Data

ITEM CODE & NAME:

- **23-MRDL4523** Anti-Slip Mat, 580 x 1160mm
- **23-MRDL4545** Anti-Slip Mat, 1160 x 1160mm
- **23-MRDL4591** Anti-Slip Mat, 2320 x 1160mm

SPECIFICATIONS:

- Sizes:
 - > 580x1160x8mm
 - > 1160x160x8mm
 - > 2320x1160x8mm
- Anti-Slip Rubber
- Friction coefficient - $>0.6\mu$
- Heavy Duty
- Suitable for loading of up to 6.30 N/mm^2
- Custom sizes available

USER TIPS:

- Tested & engineered for wet & dry conditions
- Can be used to increase friction between metal components and frames
- Compatible with DAYWALK Steel Pallet System

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STEEL CAGES & STORAGE

Steel Cages & Storage Range

- STEEL CAGES
- RECYCLING CAGES
- TIMBER BASED CAGES
- OTHER CAGES & RACKS
- DRILLING TOOL BASKETS
- WATER RESISTANT STORAGE BOXES



Benefits

- Engineer rated and approved
- In stock range
- Galvanised options to last in weather
- Stackable options for efficient use of space
- Collapsible options for storage when not in use
- Pallet Racking compatible

Applications

- Used for transporting heavy rotables between sites
- Safer long-term storage of heavy equipment onsite
- Economical alternative to custom frames
- Safer than wooden pallets



INTERNATIONAL CAGE HALF HEIGHT

500mmH





Product Data

ITEM CODE & NAME:

- **13-PSS500C/INT** 500H Collapsible International Cage
- **13-PSS/INT/L** Bi-Fold Lockable Lid

SPECIFICATIONS:

- Ext. Dimensions:
1125mmLx1125mmWx700mmH
(Int Cage H: 500mm)
- 4 Way Pallet Racking Compatible
- Anti-Tipping Bars
- Fully Collapsible and Stackable
- Cambered Safety Under-Rails
- 4 Way 685mm Standard Pallet Jack Compatible
- 4 Way Forklift Compatible

- Hot Dip Galvanised Finish, Mesh Sides, Sheeted Floor
- 2 x Removable Gates
- Suited to fit in shipping containers - 2 abreast
- Optional Extra - 1 x Bi-Fold Lockable Lid
- Engineer Rated to 1.2T WLL, Stacked Four High, Load Evenly Distributed

USER TIPS:

- Rated to give you peace of mind
- Galvanised to ensure they last in the weather
- Flexible - 4 way racking and shipping container compatible
- Cambered under-rails to ensure your racking beams aren't damaged

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

INTERNATIONAL CAGE FULL HEIGHT

800mmH





Product Data

ITEM CODE & NAME:

- **13-PSS800C/INT** 800H Collapsible International Cage
- **13-PSS800C/INT/ZP** 800H Zinc Plated Collapsible International Cage
- **13-PSS/INT/L** Bi-Fold Lockable Lid

SPECIFICATIONS:

- Ext. Dimensions: 1125mmLx1125mmWx1000mmH (Int Cage H: 800mm)
- 4 Way Pallet Racking Compatible
- Anti-Tipping Bars
- Fully Collapsible and Stackable
- Cambered Safety Under-Rails
- 4 Way 685mm Standard Pallet Jack Compatible
- 4 Way Forklift Compatible

- Hot Dip Galvanised Finish, Mesh Sides, Sheeted Floor
 - > Zinc Plated Option Available (13-PSS800C/INT/ZP)
- 2 x Removable HalfFold Down Gates
- Suited to fit in shipping containers - 2 abreast
- Optional Extra - 1 x Bi-Fold Lockable Lid
- Engineer Rated to 1.2T WLL, Stacked Four High, Load Evenly Distributed

USER TIPS:

- Rated to give you peace of mind
- Galvanised to ensure they last in the weather
- Flexible - 4 way racking and shipping container compatible
- Cambered under-rails to ensure your racking beams aren't damaged

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

INTERNATIONAL CAGE TO FIT A.S. PALLET

800mmH





Product Data

ITEM CODE & NAME:

- **13-PSS800C/1420** Collapsible International Cage to fit Australian Pallet

SPECIFICATIONS:

- Ext. Dimensions: 1420mmLx1420mmWx1000mmH (Int Cage H: 800mm)
- Fits Australian Standard Pallet inside
- Fully Collapsible and Stackable
- Anti-Tipping Bars
- Cambered Safety Under-Rails
- 4 Way 685mm Standard Pallet Jack Compatible
- 4 Way Forklift Compatible
- Hot Dip Galvanised Finish, Mesh Sides, Sheeted Floor

- 2 x Removable Half-fold Down Gates
- Suited to fit in shipping containers - 2 abreast
- Engineer Rated to 1.0T WLL, Stacked Four High, Load Evenly Distributed

USER TIPS:

- Don't have to unpack into the cage - it can fit a whole pallet
- Galvanised to ensure they last in the weather
- Tested in the Pilbara

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

INTERNATIONAL CAGE DOUBLE WIDTH

800mmH





Product Data

ITEM CODE & NAME:

- **13-PSS800/2200/C/INT** Collapsible International Double-Width Cage (Stillage)

SPECIFICATIONS:

- Ext. Dimensions: 2200mmLx1125mmWx1000mmH (Int Cage H: 800mm)
- 2 Way Pallet Racking Compatible
- Anti-Tipping Bars
- Fully Collapsible and Stackable
- Cambered Safety Under-Rails
- 2 Way 685mm Standard Pallet Jack Compatible
- 2 Way Forklift Compatible
- Hot Dip Galvanised Finish, Mesh Sides, Sheeted Floor

- 2 x Removable Half-fold Down Gates
- Suited to fit in shipping containers - 2 abreast
- Engineer Rated to 1.0T WLL, Stacked Four High, Load Evenly Distributed

USER TIPS:

- Suits your longer, oblong gear
- Galvanised to ensure they last in the weather
- Flexible - racking and shipping container compatible

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SINGLE RECYCLE CAGES

1050mmH





Product Data

ITEM CODE & NAME:

- **13-PSS1300/1160** Single Recycle Cage
- **13-PSS/RECS/L** Lid to suit Single Recycle Cage

SPECIFICATIONS:

- Ext. Dimensions:
1160mmLx1160mmWx1300mmH
(Int Cage H: 1050mm)
- Flat Pack Bolt Together Kit (Bolts included)
- Zinc Plated
- Anti-Tipping Bars
- Stackable
- Mesh Sides & Floor
- Forklift/Pallet Jack compatible
- 4 way forklift entry

- Plaque with Engineer-Rated Working Load Limit
- Engineer Rated to 500kg WLL, Stacked 2 High, Load Evenly Distributed (250kg WLL Tipping)
- Unique ID Plate
- Sheeted Cage option available (13-PSS1300/1160/S)
- Lockable Mesh Lid available (13-PSS/RECS/L)
- Wheeled Cage option available

USER TIPS:

- Ideal for safe & efficient transport of raw recyclables
- Designed & engineered for safe tipping
- Sheeted cage option suitable for safe glass handling
- Wheeled cage option allows for ease of movement in space constrained facilities

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

DOUBLE RECYCLE CAGES

1050mmH





Product Data

ITEM CODE & NAME:

- **13-PSS1300/2200** Double Recycle Cage
- **13-PSS/RECD/L** Lid to suit Double Recycle Cage

SPECIFICATIONS:

- Ext. Dimensions:
2200mmLx1160mmWx1300mmH
(Int Cage H: 1050mm)
- Flat Pack Bolt Together Kit (Bolts included)
- Zinc Plated
- Anti-Tipping Bars
- Stackable
- Mesh Sides & Floor
- Forklift/Pallet Jack compatible
- 4 way Forklift entry

- Plaque with Engineer-Rated Working Load Limit
- Engineer Rated to 500kg WLL, Stacked 2 High, Load Evenly Distributed (250kg WLL Tipping)
- Unique ID Plate
- Lockable Mesh Lid available (13-PSS/RECD/L)

USER TIPS:

- Ideal for safe & efficient transport of raw recyclables
- Designed & engineered for safe tipping

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

VISIONMOD CAGE

300mmH, 500mmH, 800mmH





Product Data

ITEM CODE & NAME:

- **13-PMC300RD2** 300H VisionMod Pallet Cage
- **13-PMC500RD2** 500H VisionMod Pallet Cage
- **13-PMC800RD2** 800H VisionMod Pallet Cage

SPECIFICATIONS:

- Ext. Dimensions: 1165mmLx1165mmW
- Available in 3 heights 300mm, 500mm, 800mm (Internal height)
- Flat Pack for easy shipping
- Comes with 2 x Easy Access Gates (Hinged & Removable)
- Stackable
- Heavy Duty Mesh Sides
- Easy assembly, no predrilling of pallet required

- Cage is fixed to the pallet using the corner supports
- Fixings Supplied (8 x Pallet Screws)

USER TIPS:

- Variety of sizes to suit your different needs
- Flatpack to save you space
- One design fits all - hinged and removable gates
- Cost-effective design

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SECURE-A MOVE 1 LEVEL





Product Data

ITEM CODE & NAME:

- **13-PSS1100SSDP** Secure-A-Move 1 Level

SPECIFICATIONS:

- Ext. Dimensions:
1350mmLx1300mmWx1100mmH
- To Fit 1165x1165mm Pallet Inside
- Engineered long-life coating system Orange
- Heavy Duty Feet
- 1 x Swing Door
- Stackable
- Rubber lined door
- Fits into pallet racking
- Four way forklift compatible
- Lockable

USER TIPS:

- Great for waterproof drop-points
- Saves you time - fits a whole pallet in
- Forklift safe with under-rails

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SECURE-A MOVE 2 LEVEL





Product Data

ITEM CODE & NAME:

- **13-PSS1800SSDP** Secure-A-Move 2 Level

SPECIFICATIONS:


- Ext. Dimensions:
1100mmLx1100mmWx1800mmH
- 2nd Floor Height: 1000mm, Engineered long-life coating system Orange
- Heavy Duty Feet
- 8 x Lashing Points
- Anti-Tilt Bars
- 2 x Swing Doors
- Stackable

USER TIPS:

- Great for waterproof drop-points
- Great for storage of smaller gear
- Forklift safe with under-rails

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

DRILLING TOOL BASKETS





Product Data

ITEM CODE & NAME:

- **13-PSS700/8360** 8m Drilling Tool Basket
- **13-PSS500/11277** 11m Drilling Tool Basket

SPECIFICATIONS:

- Ext. Dimensions:
 - > (13-PSS700/8360) 900x8360x710mm
 - > (13-PSS500/11277) 500x11277x550mm
- Galvanised
- Full meshed
- Engineered & Certified
- Certification plaques included
- Hardwood or Composite Dunnage included
- Custom sizes available

USER TIPS:

- Safe transport of drilling tools between sites
- Engineer rated to keep you Chain of Responsibility compliant
- Heavy duty to allow for longevity in harsh environments

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET STACKER





Product Data

ITEM CODE & NAME:

- **13-PS1250FP** Flat Pack Pallet Stacker

SPECIFICATIONS:

- Ext Dimensions:
1300mmLx1350mmWx2400mmH
- Mesh Sides
- Hot Dip Galvanised
- Flat Pack
- Efficient to Freight
- 4-Way Anti-Tipping Bars

USER TIPS:

- Excellent Option for Storing Pallets Neatly
- Flatpack to save you space
- Great housekeeping and safety item
- Forklift safe with under-rails

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

TYRE RACK RATED 1T





Product Data

ITEM CODE & NAME:

- **13-RCT3000/6P** Rated Tyre Rack Multi Wheel
Size 1T WLL

SPECIFICATIONS:

- Ext. Dimensions:
3000mmLx1030mmWx1300mmH
- To suit Various Sized Wheels of Diameters
Approx. 600- 950mm
- Engineered long-life coating system Finish
(Galvanised Options Available)
- 1000kg WLL
- Suitable to stack 2 High
- Safety Chain - to prevent tyres from rolling out
- Tyres able to be side loaded with a Forklift
- Pallet Racking Compatible - fits in Australian
Standard Racking

- Customisable Dimensions to suit your
application

USER TIPS:

- Forklift safe with under-rails
- Rated to give you peace of mind
- Saves space by fitting on racking

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

CUSTOM STORAGE RACKS





Product Data

ITEM CODE & NAME:

- **16-RC362520 & 16-RC362520/HALF** Custom Cantilever A-Frame Racks
- **16-RC802522 & 16-RC802522/HALF** Custom Cantilever Racks

SPECIFICATIONS:

16-RC362520

- Ext. Dimensions: 3600mmLx2500mmWx1950mmH
- 4 complete A-frame struts; c/w 7 x Side Bars on each side; 150kg's per shelf over 4 stands
- Forklift Pockets so Rack can be moved when empty

16-RC362520/HALF

- Ext. Dimensions: 3600mmLx1350mmWx1950mmH
- 4 complete A-frame struts; c/w 7 x Side Bars on one side; 150kg's per shelf over 4 stands
- Forklift Pockets so Rack can be moved when empty

16-RC802522

- Ext Dimensions: 8000mmLx2087mmWx2320mmH
- 4 shelves including base - 1000mmL, 500mm apart
- c/w Anti-Roll ends; WLL 400kg's per shelf over 4 stands

16-RC802522/HALF

- Ext Dimensions: 8225mmLx1081mmWx2320mmH
- 4 shelves on one side including base - 1000mmL, 500mm apart
- c/w Anti-Roll ends; WLL 400kg's per shelf over 4 stands

USER TIPS:

- Designed & Engineered to be freestanding to eliminate bolting to concrete. Suitable for hardstand
- Cantilever Rack perfect for storage of oversized items outdoors e.g. Flat bar, pipe
- A-Frame Rack perfect for storage of lighter items outside e.g. PVC pipe
- Custom sizes available

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET RACKING





Product Data

ITEM CODE & NAME:

- **16-RSS Starter Bay / 16-RSA Add-on Bay**
Pallet Racking

SPECIFICATIONS:

- Can be easily demounted, relocated or reconfigured
- **Shelf options:** Particleboard, mesh, melamine or beam only
- Adjustable levels
- **Bay Height:** 900, 1800, 2400, 3000mm
- **Beam Length:** 50 Open - 1350, 1500, 1800, 2400, 2600, 2750mm
- 75 Open - 1350, 1500, 1800, 2400, 2600, 2750, 3000mm
- 105 I Beam - 1350, 2600, 2750, 3000mm
- 55 & 80 Step - 1350, 1500, 1800, 2400, 2600, 2750mm


- Bay Shelf Depth: 600, 750, 840 (AS Pallet Racking) 900, 1000, 1050, 1200, 1300, 1350, 1500mm
- Shelf Carrying Capacity: Approximately 1000kg per Pallet Space
- **Beam Pitch:** 50mm
- Standard Colour Orange (beams), Galvanised (uprights)
- **Finish:** Powder Coated
- Available in a corrosive resistant finish for outdoor applications

USER TIPS:

- Australian standard sizes to keep you compliant
- Heavy duty beams available for heavy gear

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

LONGSPAN SHELVING





Product Data

ITEM CODE & NAME:

- **16-RSSL Starter Bay / 16-RSAL Add-on Bay**
Longspan Shelving

SPECIFICATIONS:

- Clip together installation
- Adjustable shelves
- Hand load system (not pallet racking system)
- Bay height: 1200mm, 2000mm, 2200mm, 2500mm, 3000mm, 3500mm
- Bay width: 900mm, 1200mm, 1800mm, 2100mm, 2400mm
- Bay depth: 400mm, 450mm, 500mm, 600mm, 760mm, 900mm, 1200mm
- Shelf carrying capacity: Up to 900kg (Evenly distributed)

- Bay capacity: Up to 4400kg (Evenly distributed)
4100 – 1998 Steel structures

USER TIPS:

- Easy clip-together installation
- Organise your space
- Australian standard sizes to keep you compliant

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

TIMBER PALLETS & COLLARS

Timber Pallet & Collar Range

- HARDWOOD PALLETS
- PINE PALLETS
- PALLET COLLARS
- PALLET COLLAR ACCESSORIES
- TIMBER DUNNAGE



Benefits

- Engineer rated and approved
- In stock range
- Galvanised options to last in weather
- Stackable options for efficient use of space
- Collapsible options for storage when not in use
- Pallet Racking compatible

Applications

- Used for transporting heavy rotables between sites
- Safer long-term storage of heavy equipment onsite
- Economical alternative to custom frames
- Safer than wooden pallets



HARDWOOD PALLET STANDARD & AUSTRALIAN STANDARD





Product Data

ITEM CODE & NAME:

- **13-PH1165** Standard Hardwood Pallet 1165x1165mm
- **13-PH1165A** Australian Standard Hardwood Pallet 1165x1165mm
- **13-PH1165/HT** Heat Treated Standard Hardwood Pallet 1165x1165mm
- **13-PH1165/580** Half Hardwood Pallet, 1165x580mm

SPECIFICATIONS:

- Standard & Heat Treated Std: 1165mmx1165mmx150mm; Top Boards: 2 off 150x25x1165, 5 off 100x25x1165; Bearers: 3 off 100x50x1165; Bottom Boards: 2 off 150x25x1165, 1 off 100x25x1165
- Australian Standard: 1165mmx1165mmx150mm; Top Boards: 2 off 150x25x1165, 5 off 100x25x1165; Bearers: 3 off 100x50x1165; Bottom Boards: 2 off 150x25x1165, 3 off 100x25x1165

- Half Standard: 1165mmx580mmx150mm; Top Boards: 4 off 100x25x1165; Bearers: 3 off 100x50x580; Bottom Boards: 2 off 150x25x1165, 1 off 100x25x1165
- Pallet Racking Compatible (excluding 13-PH1165/580)
- Standard Australian Sizes
- More sizes, grades and accessories available
- Suitable for Forklifts/Pallet Jacks
- Get your name printed on your pallets for clear identification

USER TIPS:

- Great for heavy duty applications
- Keep your warehouse compliant with Australian Standards
- Stencilling available for site identification

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

HARDWOOD PALLET DOUBLE WIDTH





Product Data

ITEM CODE & NAME:

- **13-PH2330/5** Double Width Hardwood Pallet

SPECIFICATIONS:

- **Ext. Dimensions:**
2330mmLx1165mmWx150mmH
- **Top Boards:** 2 off 150x25x2330mm, 5 off 100x25x2330mm
- **Bearers:** 5 off 100x50x1165mm
- **Bottom Boards:** 2 off 150x25x2330mm, 3 off 100x25x2330mm
- Pallet Racking Compatible
- More sizes, grades and accessories available
- Suitable for Forklifts/Pallet Jacks
- Get your name printed on your pallets for clear identification

USER TIPS:

- Fits your larger, longer gear
- Ensures oblong shapes can be fitted onto racking
- Heavy duty

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PINE PALLETS & SKIDS





Product Data

ITEM CODE & NAME:

- **13-PP1165** Standard Pine Pallet 1165 x 1165
- **13-PP1165/HT** Heat Treated Standard Pine Pallet 1165 x 1165
- **13-PP1165/600C** Pine Skid 1165 x 600
- **13-PP6060C** Pine Skid 600 x 600

SPECIFICATIONS:

- **Standard & Heat Treated Std:** 1165mmx1165mmx150mm; **Top Boards:** 2 of 150x25x1165, 5 off 100x25x1165; **Bearers:** 3 off 100x50x1165; **Bottom Boards:** 2 off 150x25x1165, 3 off 100x25x1165
- **600 x 1165 Skid:** 600mmx1165mmx150mm; **Top Boards:** 4 off 100x16x1165; **Bearers:** 3 off 100x38x600; **Bottom Boards:** 2 off 100x16x1165

- **600 x 600 Skid:** 600mmx600mmx150mm; **Top Boards:** 4 off 100x16x600; **Bearers:** 3 off 100x38x600; **Bottom Boards:** 2 off 100x16x600
- Pallet Racking Compatible (excluding 13-PP1165/600C & 13-PP6060C)
- More sizes, grades and accessories available
- Suitable for Forklifts/Pallet Jacks
- Get your name printed on your pallets for clear identification

USER TIPS:

- Great for lighter duty & general shipping applications
- Heat Treated option suitable for export
- Stencilling available for site identification

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

TIMBER PALLET COLLAR





Product Data

ITEM CODE & NAME:

- **13-PCS1165** 4 Hinge Pallet Collar
- **13-PCS1165/6** 6 Hinge Pallet Collar
- **13-PCS2330** Double Pallet Collar

SPECIFICATIONS:

- **Single Collar Dimensions:**
165mmLx1165mmWx192mmH
- **Double Collar Dimensions:**
2330mmLx1165mmWx192mmH
- **Weight:** ± 10kg each
- Stackable
- Collapsible
- Lids, Dividers and other accessories are available to suit

- 4 Hinge or 6 Hinge are available, as well as other custom sizes
- Rated to 1.5T WLL with hold down brackets & fit-for-purpose hardwood pallet

USER TIPS:

- Economical way to store items
- Rated to give you peace of mind
- Flexible - stackable, flatpack design

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET COLLAR ACCESSORIES





Product Data

ITEM CODE & NAME:

- **13-PCD11652B** No notch divider
- **13-PCD11654** Single notch divider
- **13-PCD116516** Triple notch divider
- **13-PCL1165** Lid
- **13-PCS1165/BRK1** Hold Down Bracket pair for 1 collar high
- **13-PCS1165/BRK2** Hold Down Bracket pair for 2 collars high
- **13-PCS1165/BRK3** Hold Down Bracket pair for 3 collars high
- **13-PCS1165F** Vision Panel
- **13-PCS1165/LH/A5** A5 Label Holder
- **13-PCS1165/LH/A4** A4 Label Holder
- **13-PCCCB-Y** Centralising Corner Bracket
- **13-PCSB** Pallet Spacer Bracket

SPECIFICATIONS:

- Dividers for compartmental storage
- Hold down brackets keep your Collar & Pallet secure
- Lids/Lateral Dividers to protect goods in Collar
- Vision Panel to see stored goods easily
- Label Holder for identification

USER TIPS:

- Options to segregate smaller items and maximise SKUs on each pallet
- Can be secured down to the pallet
- Vision Panels for easy vision at height

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

HARDWOOD DUNNAGE





Product Data

ITEM CODE & NAME:

- **13-DH080840** 200x200x1000mm
- **13-DH040340** 100x75x1000mm
- **13-DH03048G** 75x50x1165mm Grooved

SPECIFICATIONS:

- Timber: Hardwood
- Option of Groove to locate strap
- Various sizes also available in Pine Timber & Composite
- Get your name printed on your dunnage for clear identification

USER TIPS:

- Heavy duty to ensure you have peace of mind
- Custom sizes to suit your needs
- Get it heat treated for export needs
- Ensure fit-for-purpose before using any dunnage

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PINE DUNNAGE





Product Data

ITEM CODE & NAME:

- **13-DP030348G** 75x75x1200mm Grooved
- **13-DP030246G** 75x50x1165mm Grooved

SPECIFICATIONS:

- Timber: Pine
- Option of Groove to locate strap
- Various sizes also available in Hardwood Timber & Plastic
- Get your name printed on your dunnage for clear identification

USER TIPS:

- Economical dunnage option
- Custom sizes to suit your needs
- Get it heat treated for export needs
- Ensure fit-for-purpose before using any dunnage

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PLASTIC PALLETS & BINS

Plastic Pallet & Bin Range

- > PLASTIC PALLETS
- > COLLAPSIBLE BINS
- > SOLID MEGABINS
- > PLASTIC PARTS BINS



Benefits

- Racking compatible
- Suitable for Forklifts/Pallet Jacks
- Stackable options available
- No heat-treating needed for export
- In stock range
- Safety Assured
- Collapsible, flexible options available for space efficiency
- Easy-access, fold-down door options available

Applications

- Great for exporting - no heat-treating needed
- UV Stabilised for long-term external storage
- Great economical way to store heavy gear



PLASTIC Pallet

1165mmx1165mm





Product Data

ITEM CODE & NAME:

- **13-NS900** Plastic Pallet 1165mmx1165mm

SPECIFICATIONS:

- **Ext. Dimensions:**
1165mmLx1165mmWx150mmH
- Pallet Racking Compatible
- 2T WLL (Pallet Racking Storage); 6T WLL (Hardstand Storage)
- Material: Recycled Polyethylene
- Forklift 4-Way Entry
- Pallet Jack 2-Way Entry
- Can be chemically sterilised, steam cleaned or hot washed without any effect to the corrosion proof body
- Unit Weight: 34kg

USER TIPS:

- UV Stabilised rugged design for long term external storage
- Great for exporting - no heat-treating needed
- UV Stabilised for long-lasting life
- Great economical way to store heavy gear

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

COLLAPSIBLE PLASTIC BIN

1165mmx1165mm





Product Data

ITEM CODE & NAME:

- **13-CSB1165.SVUR** Collapsible Plastic Bin
- **13-CSBL1165** Lid

SPECIFICATIONS:

- Ext. Dimensions: 1165mmx1165mmx790mmH
- Stackable
- Collapsible
- Pallet Racking Compatible
- 4 Way Entry
- Multi Functional Solid/Ventilated
- Fold Down Door on Front & Back
- Lids available

- Polyolefin Elastomer - a modifier which ensures the product is tough and resilient while flexible at the same time. POE serves as a bridge between rubber and plastic to inspire new design possibilities.

USER TIPS:

- Keeps the general weather out
- Saves you space by collapsing
- Keep you compliant with pallet racking compatibility

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PLASTIC MEGABIN SOLID/VENTED

1162mmx1162mm





Product Data

ITEM CODE & NAME:

- **13-MBS780** Solid Megabin
- **13-MBV780** Vented Megabin
- **13-MBL780** Megabin Lid

SPECIFICATIONS:

- **Ext. Dimensions:** 1162mmx1162mmx780mm
- Two hand holds for lifting
- 500kg Load Capacity
- Extended Feet to suit Pallet Racking
- Options available for extended feet and underails
- Dividers
- Stackable
- **Optional Extras Available:** Lids

USER TIPS:

- Solid body construction for extra strength
- Comes with dividers for effective segregation
- Keep you compliant with pallet racking compatibility

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PAC'N'STOR PLASTIC BIN

905mmx555mm





Product Data

ITEM CODE & NAME:

- **16-CP3422100** DAYWALK Heavy Duty Plastic Pac'n'Stor Parts Bin

SPECIFICATIONS:

- **Ext. Dimensions (including lip):**
905mmLx555mmWx264mmH
- Pallet Racking Compatible
- Dividers for Organisation
- Stackable (With Dividers Only)
- Ideal for Small Parts Storage
- Colour: Orange
- Heavy Duty

USER TIPS:

- Able to fit in racking to save you space
- Divide your smaller items with dividers
- Heavy duty construction for heavier goods

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SAFETY STRAPPING & RESTRAINTS

Safety Strapping Range

- > PET STRAPPING
- > STRAPPING ACCESSORIES
- > POLYWOVEN STRAPPING
- > REUSABLE STRAPPING
- > STRAPPING TOOLS
- > PALLET ANGLES



Benefits

- Cost effective & time efficient
- Safer than steel
- Rated to keep you compliant
- Break strain printed for peace of mind
- Compatible with a range of battery operated & manual strapping tools
- Reusable strap option available

Applications

- PET strap is great for fast-paced, highvolume operations
- Polywoven is ideal for strapping round or difficult shaped items
- Great for heavy duty applications - proven in heavy industry
- Reusable options to save time and money in storage



PREMIUM PET STRAPPING

16mm & 19mm





Product Data

ITEM CODE & NAME:

- **06-SPET160890EPK** DAYWALK 16mm Premium PET Strap
- **06-SPET191000EPK** DAYWALK 19mm Premium PET Strap

SPECIFICATIONS:

- 06-SPET160890EPK:
 - > Ext. Dimensions: 16mmx0.89mmx1000m/roll
 - > 540kg Indicative Break Strength
- 06-SPET191000EPK:
 - > Ext. Dimensions: 19mmx1.0mmx900m/roll
 - > 722kg Indicative Break Strength
- Orange Embossed
- Highly resistant to corrosion and damage

- Anti-split properties
- Manufactured from virgin material
- Independently tested and rated in Australia

USER TIPS:

- Cost effective & time efficient strapping method
- Safer than steel
- Rated strapping to keep you Chain of Responsibility compliant
- Break strain printed on strap for peace of mind
- Provides excellent retained tension during transportation and shipping of goods.
- Compatible with ITA 20, 21 & 25 strapping tools

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SPARTAN PET STRAPPING

16mm & 19mm





Product Data

ITEM CODE & NAME:

- **06-SPET160890E** DAYWALK 16mm Spartan PET Strapping
- **06-SPET190890E** DAYWALK 19mm Spartan PET Strapping

SPECIFICATIONS:

- 06-SPET160890E
 - > Ext. Dimensions: 16mmx0.89mmx1000m/roll
 - > 540kg Indicative Break Strength
- 06-SPET190890E
 - > Ext. Dimensions: 19mmx0.89mmx1000m/roll
 - > 600kg Indicative Break Strength

- Green Embossed
- Highly resistant to corrosion and damage
- Anti-split properties
- Manufactured from virgin material
- Independently tested and rated in Australia

USER TIPS:

- Cost effective & time efficient strapping method
- Safer than steel
- Suited to lighter duty applications
- Rated strapping to keep you Chain of Responsibility compliant
- Compatible with ITA 20, 21 & 25 strapping tools

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PET STRAPPING ACCESSORIES





Product Data

ITEM CODE & NAME:

- **03-PSD1** Dispenser
- **03-PSD1/BW** Dispenser with Pneumatic Wheels
- **03-LSP016** Strapping Lance

SPECIFICATIONS:

- 03-PSD1: Mobile PET Dispenser
 - > c/w Tool Tray
 - > Compatible with 16mm & 19mm PET Strapping
- 03-PSD1/BW: Mobile PET Dispenser w/ Pneumatic Wheels
 - > c/w Tool Tray
 - > Heavy Duty Pneumatic Wheels
 - > Compatible with 16mm & 19mm PET Strapping

- 03-LSP016: Strapping Lance
 - > 1350mm long
 - > Fibreglass
 - > Guide your strap under package/pallet with ease
- PET Starter Kits available including ITA Strapping Tool, 4 x Rolls PET Strapping, PET Dispenser & Strapping Lance:
 - > (03-ITA21/16KIT) 16mm PET Starter Kit
 - > (03-ITA21/19KIT) 19mm PET Starter Kit

USER TIPS:

- Dispenser used for safe storage and dispensing of strapping
- Tool tray excellent for keeping your strapping tools close at hand
- Pneumatic wheels suitable for wheeling dispenser over uneven surfaces
- Strapping lance saves time in feeding strap under pallets

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

ITA20 SEMI-AUTOMATIC STRAPPING TOOL

Suits 12-16mm Strapping





Product Data

ITEM CODE & NAME:

- **03-ITA20** Semi-Automatic Battery Powered Strapping Tool Includes 2 x Batteries & Charger

SPECIFICATIONS:

- Light Weight
- Lithium Polymer Battery - less combustible and higher specific energy than Lithium Ion
Battery: 14.8V - 3.2 A/h LI-PO
- **Weight:** 3.6kg
- Suits DAYWALK 16mm PET Strapping (codes 06-SPET16089OEPK & 06-SPET16089OE)
- Max. Tension Force: 2200N
- **Tensioning Speed:** 9mt/m
- **Sealing:** Friction Weld Seal
- **Joint Strength:** 80% of Plastic Strap Strength*
depends on strap type

- Every DAYWALK ITA Tool comes with a complimentary check and clean at 3 months after purchase

USER TIPS:

- Easy-to-use design
- Cuts strapping time in half
- Servicing and loan tools available

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

ITA21 SEMI-AUTOMATIC STRAPPING TOOL

Suits 16-19mm Strapping





Product Data

ITEM CODE & NAME:

- **03-ITA21** Semi-Automatic Battery Powered Strapping Tool. Includes 2 x Batteries & Charger

SPECIFICATIONS:

- Light Weight
- Lithium Polymer Battery - less combustible and higher specific energy than Lithium Ion Battery: 14.8V - 3.2 A/h LI-PO
- **Tool Ext. Dimensions:** 315x140x183mm
- **Weight:** 3.8kg
- Suits DAYWALK 16mm PET Strapping (06-SPET160890EPK & 06-SPET160890E) & 19mm PET Strapping (06-SPET191000EPK & 06-SPET190890E)
- **Max. Tension Force:** 4000N
- **Tensioning Speed:** 9mt/m

- **Sealing:** Friction Weld Seal
- **Joint Strength:** 80% of Plastic Strap Strength* depends on strap type
- Every DAYWALK ITA Tool comes with a complimentary check and clean at 3 months after purchase

USER TIPS:

- Easy-to-use design
- Cuts strapping time in half
- Servicing and loan tools available

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

ITA25 AUTOMATIC STRAPPING TOOL

Suits 16-19mm Strapping





Product Data

ITEM CODE & NAME:

- **03-ITA25** Automatic Battery Powered Strapping Tool Includes 2 x Batteries & Charger

SPECIFICATIONS:

- Light Weight
- Lithium Polymer Battery - less combustible and higher specific energy than Lithium Ion. Battery: 14.8V - 3.2 A/h LI-PO
- **Tool Ext. Dimensions:** 300x150x160mm
- **Weight:** 4.1kg
- Suits DAYWALK 16mm PET Strapping (06-SPET160890EPK & 06-SPET160890E) & 19mm PET Strapping (06-SPET191000EPK & 06-SPET190890E)
- **Max. Tension Force:** 5500N

- **Tensioning Speed:** 12mt/m
- **Sealing:** Friction Weld Seal
- **Joint Strength:** 80% of Plastic Strap Strength* depends on strap type
- Every DAYWALK ITA Tool comes with a complimentary check and clean at 3 months after purchase

USER TIPS:

- Powerful brushless motors for long lasting use
- Cuts strapping time in half
- Automatic option to make for easy use
- Servicing and loan tools available

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PREMIUM POLYWOVEN STRAPPING

19mm & 31mm





Product Data

ITEM CODE & NAME:

- **06-NSAW75P** 19mm High-Vis Polywoven Strap
- **06-NW105PESP/230** 31mm High-Vis Polywoven Strap

SPECIFICATIONS:

- 06-NSAW75P:
 - > Ext. Dimensions: 19mm x 500m/roll
 - > 1100kg Break Strain
- 06-NW105PESP/230:
 - > Ext. Dimensions: 31mm x 230m/roll
 - > 2300kg Break Strain
- Hi-Vis Orange
- Printed with Break Strain Rating

- Highly resistant to UV rays
- Weather resistant
- Waterproof & rust proof

USER TIPS:

- Ideal for securing round or difficult shaped items
- Suitable for strapping heavy loads
- Safer than steel
- Interwoven design to ensure it does not tear if cut
- Rated strapping to keep you Chain of Responsibility compliant
- Break strain printed on strap for peace of mind
- Hi-visibility & UV stable for rugged applications

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STANDARD POLYWOVEN STRAPPING

19mm





Product Data

ITEM CODE & NAME:

- **06-NSAW187P** 19mm Polywoven Strap (1 Red Line)
- **06-NSAW188P** 19mm Polywoven Strap (2 Red Lines)
- **06-NSAW189P** 16-19mm Polywoven Strap (1 Blue Line)

SPECIFICATIONS:

- 06-NSAW187P:
 - > Ext. Dimensions: 19mm x 700m/roll,
 - > 840kg Indicative Break Strength
 - > White with 1 Red Line
- NSAW188P:
 - > Ext. Dimensions: 19mm x 500m/roll
 - > 1000kg Indicative Break Strength
 - > White with 2 Red Lines


- 06-NSAW189P
 - > Ext. Dimensions: 19mm x 850m/roll
 - > 620kg Indicative Break Strength
 - > White with 1 Blue Line
- UV resistant
- Weather resistant

USER TIPS:

- Ideal for securing round or difficult shaped items
- Safer than steel
- Interwoven design to ensure it does not tear if cut
- Rated strapping to keep you Chain of Responsibility compliant
- UV stable for rugged applications

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

POLYWOVEN STRAPPING ACCESSORIES





Product Data

ITEM CODE & NAME:

- **03-MDHB** Dispenser
- **05-PWP19** 19mm Buckles
- **05-PWP32** 32mm Buckles
- **03-LSP016** Strapping Lance

SPECIFICATIONS:

- 05-PWP19: 19mm Buckles
 - > Premium Phosphated Buckle
 - > Compatible with 19mm Polywoven Strapping
 - > 1000/ctn
- 05-PWP32: 32mm Buckles
 - > Premium Phosphated Buckle
 - > Compatible with 31mm Polywoven Strapping
 - > 250/ctn

- 03-MDHB: Mobile Dispenser
 - > c/w Tool Tray
 - > Compatible with Polywoven & Polypropylene Strapping
- 03-LSP016: Strapping Lance
 - > 1350mm long
 - > Fibreglass
 - > Guide your strap under package/pallet with ease

USER TIPS:

- Dispenser used for safe storage and dispensing of strapping
- Tool tray excellent for keeping your strapping tools close at hand
- Strapping lance saves time in feeding strap under pallets

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

MANUAL POLYWOVEN TENSIONERS





Product Data

ITEM CODE & NAME:

- **03-CHD/N** Premium Polywoven Tensioner 19-25mm
- **03-CHD/NXLC** Premium Polywoven Tensioner up to 50mm
- **03-MUL325** Polywoven Tensioner up to 19-25mm
- **03-TST30HD** Polywoven Tensioner up to 32mm

SPECIFICATIONS:

- 03-CHD/N:
 - > Suits 19-25mm Strap
 - > c/w nose piece
 - > Straps round and flat packs

- 03-CHD/NXLC:
 - > Suits up to 50mm Strap
 - > c/w cutter & nose piece
- 03-MUL325:
 - > Suits up to 19mm Strap
 - > Suited to strapping flat packs
- 03-TST30HD:
 - > Suits up to 32mm Strap
 - > c/w nose piece

USER TIPS:

- Strapping round or difficult shaped items
- Suitable for use with Hi-Vis or Standard Polywoven Strapping
- Nose attachments on tools are ideal for strapping

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

BATTERY POLYWOVEN STRAPPER

Suits 19-31mm Strapping





Product Data

ITEM CODE & NAME:

- **03-CS19** Battery Operated Strapper

SPECIFICATIONS:

- Battery-Operated
- Suits 19-31mm Polywoven Strapping
- c/w Battery & Charger
- Strong adjustable tension force (10 settings up to 800 daN/1800lbf)
- Ergonomically designed handle one-handed operation
- 18V lithium ion rechargeable batteries
 - > Up to 200 cycles
 - > 30-minute charging time
- Reliable tensioning even with multiple pallets or bundles

USER TIPS:

- Faster strapping than manual tools
- Great alternative for high pressure operations
- Suitable for strapping heavy loads

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SEMI-AUTOMATIC STRAPPING MACHINE





Product Data

ITEM CODE & NAME:

- **03-TMS300FO** Open Frame Semi-Automatic Strapping Machine
- **03-TMS300** Closed Unit Semi-Automatic Strapping Machine

USER TIPS:

- Great for small, light strapping jobs
- Provides an easy flat surface for strapping
- Flexible - can be wheeled around

SPECIFICATIONS:

- Single Motor Operation
- Mobile - on wheels
- Easy adjustment - use any strap up to 15.5mm by loosening only 4 screws
- Compact Design
- Strapping square, round, or irregular items
- Option for Open Frame or Closed Unit

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

CAMLOCK TIDY STRAPS

50mm



Threading Instructions





Product Data

ITEM CODE & NAME:

- **19-CBS50/3/500** Fluoro Green 3m Camlock Tidy Strap
- **19-CBS50/5/500** Fluoro Orange 5m Camlock Tidy Strap
- **19-CBS50/7/500** Fluoro Pink 7m Camlock Tidy Strap

SPECIFICATIONS:

- Width: 50mm
- Lengths: 3m, 5m & 7m
- CamLock Fastener Buckle Strap Holding Mechanism
- Fast to undo and re-tighten
- Safety Hi-Vis
- Reusable



- Temporary Restraint
- Break Strain Rating - 500daN +/- 5%
- Accredited & Labelled


USER TIPS:

- Reusable to save you from wasting strap in the warehouse
- Easy-to-use design make strapping at height quick and easy
- High vis colours means you can quickly identify which pallets are strapped
- Rated to keep you compliant

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PLASTIC CORNER PROTECTION





Product Data

ITEM CODE & NAME:

- **15-EPA470** Plastic Corner Protection

SPECIFICATIONS:

- Ridges to guide strap
- Compact & Stackable
- Grooves in underside increase rigidity and grip
- UV Stabilized
- Impact Resistant
- Heavy Duty

USER TIPS:

- Heavy duty plastic design for tight restraint
- Keeps your pallets protected
- UV Stabilised for long-lasting use

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

UV/VCI PROTECTION & RUST PREVENTION

UV/VCI & Rust Prevention Range

- > PALLET & ENGINE BAGS
- > SHRINK SHEET & TUBING
- > VCI PRESERVATION
- > REUSABLE PVC COVERS
- > HEATSHRINK TOOLS & ACCESSORIES
- > RUST PREVENTION COATINGS



Benefits


- Specialists in Superior VCI Rust
- Inhibiting Technology
- Good protection against dust and rain
- Heat Shrinkable options
- UV stabilised design to ensure longlasting protection
- Flexible sizes to fit all sizes of equipment
- In stock range
- Unique Peelable Coatings range for bare metal surface protection

Applications

- Excellent protection for metal items
 - VCI products provide superior rust protection
 - Great for protecting palletised gear or engines
 - Pallet bags can provide temporary 'raincoat' protection
- Peelable Coatings (non-residue) allows hassle-free rust prevention



PALLET & ENGINE BAGS UV





Product Data

ITEM CODE & NAME:

- **12-PBN50-1980** 50um, 1220+1220x1980mm - 50 BOR
- **12-PBN50-2000** 50um, 2000Lx1800Wx1800mmH - 5/pk
- **12-PBGUV100-2100** Green, 100um, 1220+1220x2100mm - 40 BOR
- **12-PBNUV150-060610** 150um, 620+600x1000mm - 50 BOR
- **12-PBNUV150-080816** 150um, 820+800x1600mm - 25 BOR
- **12-PBNUV150-120611** 150um, 1220+610x1100mm - 50 BOR
- **12-PBNUV150-1850** 150um, 1220+1220x1850mm - 25 BOR
- **12-PBNUV200-1500** 200um, 1220+1220x1500mm - 25 BOR
- **12-PBNUV200-181021** 200um, Flat Top: 1800+1000x1600mm - 10/ctn
- **12-PBNUV200-2100** 200um, 1220+1220x2100mm - 20 BOR
- **12-PBNUV250HD-2100** 250um, 1220+1220x2100mm - 15 BOR

SPECIFICATIONS:

- UV Stabilised
- Heavy Duty Options
- Translucent
- **12-PBGUV100-2100 Colour:** Green Translucent
- **Bag Thicknesses:** 100um, 150um, 200um, 250um
- Heat Shrinkable
- Good protection against dust and rain

USER TIPS:

- Good for protecting pallet sized goods
- Heavy duty UV stabilised design to ensure long-lasting coverage
- Able to be heat-shrunk
- Can be used as raincoat to keep weather off equipment
- Custom production available subject to MOQ's

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET TUBING UV





Product Data

ITEM CODE & NAME:

- **12-PSNUV150** UV Pallet Tubing 150um x 1220+1220mmx53mL
- **12-PSNUV200** UV Pallet Tubing 200um x 1220+1220mmx40mL
- **12-PSNUV250HD** Heavy Duty UV Pallet Tubing 250um x 1220+1220mmx32mL

SPECIFICATIONS:

- UV Stabilised
- Heavy Duty Options
- Translucent
- Heat Shrinkable

USER TIPS:

- Cut the tube to size to fit any length object
- Heavy duty UV stabilised design to ensure long-lasting coverage
- Able to be heat-shrunk
- Custom production available subject to MOQ's

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SHRINK SHEET UV & UV/UVB





Product Data

ITEM CODE & NAME:

- **12-LFSUV2360/150/20** Clear Shrink Sheet
- **12-LFSWUBV5425** White Block Shrink Sheet

SPECIFICATIONS:

- **(12-LFSUV2360/150/20)**
 - > Ext. Dimensions: 150um, 2360m x 65m/roll
 - > Colour: Natural
 - > Centrefold
- **(12-LFSWUBV5425)**
 - > Ext. Dimensions: 200um, 5400m x 20m/roll
 - > Colour: White Block
 - > Heavy Duty
- UV Stabilised
- Heat Shrinkable

USER TIPS:


- Cut to size to fit large, oblong items
- Clear to give you visibility (12-LFSUV2360/150/20)
- Able to be heat-shrunk
- UV Stabilised to provide long lasting protection from the weather
- White UV Block Shrink Sheet is to reduce UV penetration & minimise deterioration of perishable items e.g. rubber seals

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

COMPONENT BAGS UV

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-BUV1218** 100umx300mmx450mm - 500/ctn
- **12-BUV3032** 100umx750mmx800mm - 100/ctn
- **12-BUV3248** 100umx820mmx1220mm - 100/ctn

SPECIFICATIONS:

- Material: Low-density polyethylene (LDPE)
- Translucent
- UV Stabilized
- Heat Sealable
- Other sizes available on bulk order

USER TIPS:

- Great for preserving smaller components
- Easy tear-off design
- Works with an impulse heat sealer
- UV Stabilised to provide long lasting protection from the weather

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET & ENGINE BAGS UV/VCI





Product Data

ITEM CODE & NAME:

- • **12-PBNUC200-2100** Gussetted Pallet Bag
200um x 1220+1220mmx2100mm - 12 BOR
- • **12-PBFTUC200-1500** Square Top Pallet Bag
200um x 1220mm +1220mmx1500mm - 5/ctn
- • **12-PBFTUC200-2200** Square Top Engine Bag
200um x 2400mm +1600mmx2200mm - 6/ctn
- • **12-PBFTUC200-2700** Square Top Engine Bag
200um x 2400mm + 1600mmx2700mm - 5/ctn

SPECIFICATIONS:

- UV Stabilised
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Translucent
- Heat Shrinkable
- Good protection against dust and rain


USER TIPS:

- Prevents rust with a corrosion-inhibitor (VCI)
- Flexible sizes to fit up to an engine size
- Flat top is environmentally friendly - uses less plastic

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET TUBING UV/VCI

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-PSNUC200** Clear VCI Shrink Tube 200um x 1220+1220mm x 22m/Roll
- **12-PSNUC200/542** Clear VCI Shrink Tube 200um x1500+1200mm x 20m/Roll
- **12-PSWUBC200** White Block VCI Shrink Tube 200um x 1220+1220mm x 20m/Roll

SPECIFICATIONS:

- UV Stabilised
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Translucent/White Block
- Heat Shrinkable

USER TIPS:

- Cut the tube to size to fit any length object
- Prevents rust with a corrosion-inhibitor (VCI)
- Able to be heat-shrunk

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SHRINK SHEET UV/VCI & UV/VCI/UVB





Product Data

ITEM CODE & NAME:

- Shrink Sheet - UV Stabilized and Corrosion Inhibiting
- **12-LFSUC542**
- **12-LFSWUBC2300**
- **12-LFSWUBC5425**

SPECIFICATIONS:

- 12-LFSUC542
 - > Size: 5400mm x 20m/roll
 - > Colour: Translucent
- 12-LFSWUBC2300
 - > Size: 2300mm x 46.5m/roll
 - > Colour: White Block
- 12-LFSWUBC5425
 - > Size: 5400mm x 20m/roll
 - > Colour: White Block

- UV Stabilised
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Heavy Duty
- Thickness: 200um
- Heat Shrinkable
- Excellent Protection for Metal Items

USER TIPS:


- Cut to size to fit large, oblong items
- Prevents rust with a corrosion-inhibitor
- Clear to give you visibility
- White UV Block Shrink Sheet is to reduce UV penetration & minimise deterioration of perishable items e.g. rubber seals

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

STRETCH FILM UV/VCI

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-SFHUC40** UV/VCI Stretch Film

SPECIFICATIONS:

- **Size:** 500mm x 160m/roll
- **Colour:** Blue Translucent
- **Thickness:** 40um
- UV Stabilized
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Dispenser Available for ease of use

USER TIPS:


- Heavy duty to keep your goods protected in the weather for longer
- Corrosion Inhibiting (VCI) to prevent rust
- Quick way to protect goods

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

COMPONENT BAGS UV/VCI

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-BUC200/300/150R** 150um x 200mmWx300mmL - 600 BOR
- **12-BUC300/450/200R** 200um x 300mmWx450mmL - 200 BOR
- **12-BUC600/900/200R** 200um x 600mmWx900mmL - 50 BOR

SPECIFICATIONS:

- UV Stabilized
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Translucent
- Heat Sealable

USER TIPS:

- Great for preventing rust or damage on smaller components
- Easy tear-off design
- Works with an impulse heat sealer

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

COMPONENT TUBING UV/VCI

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-TUC300/150/10** 150um x 300mmW x 120mL
- **12-TUC400/150/10** 150um x 400mmW x 90mL
- **12-TUC1000/200/10** 200um x 1000mmW x 27mL
- **12-TUC1500/200/10** 200um x 1500mmW x 18mL

SPECIFICATIONS:

- UV Stabilized
- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Translucent
- Heat Sealable

USER TIPS:

- Flexible sizes - cut to any length
- Great for preventing rust or damage on smaller components
- Easy tear off design
- Works with an impulse heat sealer

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

UV/VCI RESEALABLE BAG

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- • **01-RS0403VCI** 100um x 75mm x 100mm x 1000/ctn
- • **01-RS0604VCI** 100um x 100mm x 150mm x 1000/ctn
- • **01-RS0906VCI** 100um x 150mm x 230mm x 1000/ctn
- • **01-RS1209VCI** 100um x 230mm x 305mm x 1000/ctn
- • **01-RS1614VCI** 100um x 355mm x 405mm x 1000/ctn

SPECIFICATIONS:

- Translucent
- 1000 bags per carton
- UV Stabilized

- Corrosion Inhibiting - includes Volatile Corrosion Inhibitor (VCI) for superior rust prevention
- Resealable to allow easy re-usability of bag and easy accessing of parts.
- Excellent Protection for Metal Items from rust, tarnish, stains, white rust and oxidation

USER TIPS:

- Can be used for packaging of all metals
- Transparent for ease of visual inspection
- Prevents rust with a corrosion-inhibitor (VCI)
- Ideal for protecting smaller items

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

VCI PAPER

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **02-PCVCI1200/200/70** VCI Paper

SPECIFICATIONS:

- **Ext. Dimensions:** 1200mmx200m roll
- **Thickness:** 70gsm
- Volatile Corrosion Inhibitor (VCI) Treated Paper for multi metals
- VCI Paper is a neutral kraft paper with excellent capacity to absorb humidity. It is chemically treated with (VCI)
- **Use:** Protective packaging for metallic material
- **Purpose:** Designed to protect ferrous and non-ferrous metals during storage and transport.

USER TIPS:

- Great for reducing moisture
- Easy to use - lay it like a table cloth
- Corrosion-inhibiting to prevent rust

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

VCI PRESERVATION





Product Data

ITEM CODE & NAME:

- **09-VCI/M207/100G** VCI Desiccants
- **09-VCI/MPW/1.0G** VCI Powder
- **09-SP-MDE30** VCI Emitters 10mm Diameter
- **09-SP-MDE150** VCI Emitters 20mm Diameter
- **09-SP-MDE30v0** VCI Emitters 25mm Diameter
- **09-VCI/M369/20KG** VCI Gel
- **09-VCI/SPFE/20** VCI Oil for Ferrous Metals 20L
- **09-VCI/M337/20L** VCI Concentrate

SPECIFICATIONS:

- Daywalk Volatile Corrosion Inhibitor (VCI) technology is independently lab tested
Environmentally safe - Non-toxic masterbatch
Suitable for ferrous and non-ferrous metals
Compatible with Daywalk UV and VCI Plastic

USER TIPS:

- VCI Desiccants used within outer wraps in high humidity environments - coverage of 10g/cu ft
- VCI Powder used within large voids such as containers - coverage of 1g/cu ft
- VCI Emitters used in junction boxes on electric motors and equipment - coverage: size 30 for 1 cu ft, size 150 for 5 cu ft and size 300 for 10 cu ft
- VCI Gel is used within bearing housings or similar surfaces - achieve protection up to 24 mths (2-3 coats)
- VCI Oil & VCI Concentrate used on internal surfaces such as engine sumps & fuel tanks subject to brand compatibility - dilution rates are available depending on the application

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

HEATSHRINK ACCESSORIES





Product Data

ITEM CODE & NAME:

- **12-PBZ400/30** Heavy Duty Zipper
- **11-THS100/30** White Shrink Tape 30mL
- **11-THS100/50** White Shrink Tape 50mL
- **11-THS100/55** Clear Shrink Tape 55mL
- **03-THS18** Plastics Dispenser Trolley

SPECIFICATIONS:

- **Heavy Duty Zipper**
 - > Zip Ext. Dimensions: 400mmL x 30mmW
 - > Outer Plastic Ext. Dimensions: 340mm x 480mm
 - > White Block Plastic
- **Shrink Tape**
 - > Width: 100mm

> Lengths: Refer to descriptions above

> Colour: White/Clear

Plastics Dispenser Trolley

> c/w Tool Tray

> Fits one roll of plastic & gas

USER TIPS:

- Zips provide access to ID plates, or other critical parts of a component
- Shrink tape is excellent both for pilot taping before shrinking, and for closing up any holes that might occur in the shrinking process
- Dispenser Trolley provides an easy way to dispense your plastic and the portable design gives you flexibility

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET TOP SHEET

VCI PROTECTION & PRESERVATION | UV BAGS & COVERS





Product Data

ITEM CODE & NAME:

- **12-PTS1680/25** Pallet Top Sheet 25um Natural
- **12-PTS1680/45B** Pallet Top Sheet 45um Black
- **12-PTS1680/60UV** Pallet Top Sheet 60um Natural

SPECIFICATIONS:

12-PTS1680/25

- Colour: Translucent
- Sheet Size: 1680mmx1680mm
- Sheet Thickness: 25um
- Sheet Qty: 125 per Roll

12-PTS1680/45B:

- Colour: Black
- Sheet Size: 1680mmx1680mm

- Sheet Thickness: 45um
- Sheet Qty: 75 per Roll

12-PTS1680/60UV

- UV Stabilized
- Colour: Translucent
- Sheet Size: 1680mmx1680mm
- Sheet Thickness: 60um
- Sheet Qty: 125 per Roll

USER TIPS:

- Great for covering the top of your pallets
- Heavy duty UV stabilised design to ensure long-lasting coverage

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PVC ENGINE & PALLET COVERS





Product Data

ITEM CODE & NAME:

- **13-PCPI/MISC** PVC Covers

SPECIFICATIONS:

- Various thicknesses (680gsm, 900gsm or 1350gsm) and colours available
- Eyelets, Rope Ties or Bungee Strap on bottom
- Water and UV Resistant
- A4 ID Pouch for documentation
- Options: Velcro Sides, Lifting Lugs, Zipped Sides and more
- Custom made to suit your requirements
- Print your name on the side

USER TIPS:

- Flexible design - custom sizes available
- Great for long-term storage
- Multiple lashing points to keep it secured
- Suitable for multi-trip environment especially within a closed loop supply chain
- Saves money and time compared to single use plastic
- Reusability provides environmental savings

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PVC PULLEY & CYLINDER COVERS





Product Data

ITEM CODE & NAME:

- **13-PCPI/MISC** PVC Covers

SPECIFICATIONS:

- Various thicknesses (680gsm, 900gsm or 1350gsm) and colours available
- Eyelets, Rope Ties or Bungee Strap on bottom
- Water and UV Resistant
- A4 ID Pouch for documentation
- Options: Velcro Sides, Lifting Lugs, Zipped Sides and more
- Custom made to suit your requirements
- Print your name on the side

USER TIPS:

- Flexible design - custom sizes available
- Great for long-term storage
- Multiple lashing points to keep it secured
- Suitable for multi-trip environment especially within a closed loop supply chain
- Saves money and time compared to single use plastic
- Reusability provides environmental savings

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PREMIUM GAS HEAT GUN





Product Data

ITEM CODE & NAME:

- **03-RP3000** Premium Heat Gun Kit

SPECIFICATIONS:

- Complete with Storage Case
- 1 x Pressure Regulator
- 1 x 8m Hose
- 1 x Swivel Connector
- 1 x Wrench
- Modular Extensions up to 2m available
- Low risk of burns due to unique 'cold nozzle' feature

USER TIPS:

- Heavy duty design to keep you heat-shrinking for longer
- Fast way to heat-shrinking plastic
- Works with DAYWALK plastic

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

ELECTRIC HEAT GUN





Product Data

ITEM CODE & NAME:

- **03-FS3** Electric Heat Gun

SPECIFICATIONS:

- Suited for flameless shrinking of plastic for secondary restraint and protection of bulk goods
- 20 AMP
- 3 Phase
- 3 Prong plug - 415V
- Weight: 4.4 kg (without cord)
- Temperature: shrinks plastics at 650 degrees
- Ext. Dimensions: 390mmLx132mmWx215mmH
- Low risk of burns due to unique 'cold nozzle' feature

USER TIPS:

- Great alternative if gas is not allowed on site
- Large handles for easy handling

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

IMPULSE HEAT SEALERS





Product Data

ITEM CODE & NAME:

- **03-PS200HC** Bench Impulse Sealer 200mmW
- **03-PS300HC** Bench Impulse Sealer 300mmW
- **03-PS400HC** Bench Impulse Sealer 400mmW
- **03-PS500HC** Bench Impulse Sealer 500mmW
- **03-PS600FI** Pedestal Impulse Sealer 600mmW

USER TIPS:

- Delivers a solid seal for component bags and tubing
- Repair kits to keep you sealing for longer

SPECIFICATIONS:

- Light weight & Easy to operate
- Ideal for sealing of small plastic component bags
- Option of built-in cutter for quick seal/cut operation when sealing plastic tubing (Pedestal Sealer does not have a cutter)
- Repair Kits available

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

MOBILE PLASTICS DISPENSER STAND





Product Data

ITEM CODE & NAME:

- DAYWALK Mobile Plastics Dispenser Stand
- Double Bar (1500mm) c/w Spacer Cones
- **03-SPD1600/S2** Mobile Plastics Dispenser Stand, No Cutter, 2 x Adjustable Bars
- **03-SPD1600/S2C1** Mobile Plastics Dispenser Stand, 1 x Cutter, 2 x Adjustable Bars
- **03-SPD1600/S2C2** Mobile Plastics Dispenser Stand, 2 x Cutters, 2 x Adjustable Bars

SPECIFICATIONS:

- Ext. Dimensions: 2320mmx1500mmx250mm
- Spacer Cones – to keep roll in position
- Cutter assembly allows plastic tubing to be cut to length

- Adjustable bars allows for different roll sizes and height preferences
- Mobile – move your dispenser to wherever you are working
- Sturdy framework
- Engineered long-life coating system
- Multiple assembly combinations available up to 2 x Cutters & 2 x Adjustable Bars
- Flatpack design

USER TIPS:

- Organises your plastics storage
- Easy way to dispense your plastic
- Portable design to give you flexibility

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SKN 45 PEELABLE COATING

4L TIN





Product Data

ITEM CODE & NAME:

- **04-SKN45/4** SKN 45 4L Tin

SPECIFICATIONS:

- Suited to protecting Carbon / Mild steels / Aluminium
- Easy to apply and quick drying
- Non-seepage - does not allow rust creep
- Easy to peel - non residue coating
- This product can be brushed, dipped or sprayed
- Refer TDS & SDS for further specifications

USER TIPS:

- Proven technology in heavy industrial environments
- Non-residue, peelable - saves you clean up
- Ensures no rust on metal surface
- Heavy duty for long lasting protection
- Thinners available for spraying in airless sprayer or pressure pot

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SKN 45 AEROSOL

380g





Product Data

ITEM CODE & NAME:

- **04-SKN45/AER380** SKN 45 Aerosol

SPECIFICATIONS:

- Easy to apply Aerosol application
- Suited to protecting Carbon / Mild steels / Aluminium
- Easy to apply and quick drying
- Non-seepage - does not allow rust creep
- Easy to peel - non residue coating
- This product can be brushed, dipped or sprayed
- Refer TDS & SDS for further specifications

USER TIPS:

- Proven technology in heavy industrial environments
- Non-residue, peelable - saves you clean up
- Ensures no rust on metal surface
- Heavy duty for long lasting protection
- Aerosol version allows easy application

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SKN 20 PEELABLE COATING

4L TIN





Product Data

ITEM CODE & NAME:

- **04-SKN20/4** SKN 20 4L Tin

SPECIFICATIONS:

- Suited to protecting Stainless Steel / Alloys
- Easy to apply and quick drying
- Non-seepage - does not allow rust creep
- Easy to peel - non residue coating
- This product can be brushed, dipped or sprayed
- Refer TDS & SDS for further specifications

USER TIPS:

- Suited to Stainless steel
- Proven technology in heavy industrial environments
- Non-residue, peelable - saves you clean up
- Ensures no rust on metal surface
- Heavy duty for long lasting protection
- Thinners available for spraying in airless sprayer or pressure pot

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SILICA GEL & BREATHERS

Silica Gel Range

- > E-GEL SILICA GEL BAGS
- > REUSABLE BREATHERS
- > E-GEL SILICA GEL PAILS
- > DISPOSABLE BREATHERS



Benefits

- Environmentally friendlier - noncobalt gel
- Desiccant can be disposed of safely
- Indicating colours means you know when gel is spent
- Multiple sized packages available

Applications

- Easy way to stop moisture from damaging goods
- Breathers are excellent for preventing moisture entering power transformers
- Drying agent for packaging
- e-Gel can be used in both non oil bath and oil bath breathers



E-GEL DESICCANT BAGS





Product Data

ITEM CODE & NAME:

- **09-SEG100G** 100g
- **09-SEG500G** 500g
- **09-SEG1000G** 1000g

SPECIFICATIONS:

- A non cobalt based indicator for monitoring moisture
- The indicator changes colour from Orange to Dark Green once moisture begins to penetrate
- It will finally reach a dark green colour when moisture content reaches 80%
- Non carcinogenic product, and environmentally friendlier
- Drying agent for packaging
- e-Gel desiccant is an excellent alternative to blue (cobalt chloride) indicating silica gel

- e-Gel indicates an orange colour when active and changes to dark green when the desiccant becomes saturated. As with non-indicating silica gel, the material is a refined form of silica gel which is produced by the reaction of a mineral acid, usually sulphuric, and a sodium silicate solution. The beads are impregnated with a safe organic indicator which changes colour as the desiccant becomes saturated
- e-Gel is capable of absorbing up to approximately 30% of its own weight of water


USER TIPS:

- Easy way to stop moisture from damaging goods
- Environmentally friendly - non-cobalt gel
- Indicating colours means you know when it is spent

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

E-GEL DESICCANT





Product Data

ITEM CODE & NAME:

- **09-SEG5KG** 5kg Pail
- **09-SEG12.5KG** 12.5kg Pail
- **09-SEG25KG** 25kg Pail

SPECIFICATIONS:

- A non cobalt based indicator for monitoring moisture
- The indicator changes colour from Orange to Dark Green once moisture begins to penetrate
- It will finally reach a dark green colour when moisture content reaches 80%
- Non carcinogenic product, and environmentally friendlier
- Can be disposed of safely - refer your local council
- Can be used in both non oil bath and oil bath breathers
- Drying agent for packaging (e-Gel Bags)

- Transformer breathers (approximately 1kg e-Gel to 3000L Oil)
- e-Gel desiccant is an excellent alternative to blue (cobalt chloride) indicating silica gel
- e-Gel indicates an orange colour when active and changes to dark green when the desiccant becomes saturated. As with non-indicating silica gel, the material is a refined form of silica gel which is produced by the reaction of a mineral acid, usually sulphuric, and a sodium silicate solution. The beads are impregnated with a safe organic indicator which changes colour as the desiccant becomes saturated
- e-Gel is capable of absorbing up to approximately 30% of its own weight of water

USER TIPS:

- Easy way to stop moisture from damaging goods
- Environmentally friendly - non-cobalt gel
- Indicating colours means you know when it is spent

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

REUSABLE E-GEL BREATHER

c/w Oil Bath





Product Data

ITEM CODE & NAME:

- **09-YDB1** Breather 0.4kg Capacity c/w Oil Bath
- **09-YDB2** Breather 0.8kg Capacity c/w Oil Bath
- **03-YDB3** Breather 1.4kg Capacity c/w Oil Bath
- **09-YDB4** Breather 2.4kg Capacity c/w Oil Bath
- **09-YDB5** Breather 4.6kg Capacity c/w Oil Bath
- **09-YDB6** Breather 6.5kg Capacity c/w Oil Bath
- **09-YDB7** Breather 10.5kg Capacity c/w Oil Bath
- **09-YDB8** Breather 13.5kg Capacity c/w Oil Bath

SPECIFICATIONS:

- YDB5-8 have 3 Connections - $\frac{3}{4}$ BSP, 1 Inch BSP & Flange Mount
- 1kg e-Gel to 3000L Oil
- It will finally reach a dark green colour when moisture content reaches 80%

- e-Gel is a non cobalt based indicator for monitoring moisture
- The indicator changes colour from Orange to Dark Green once moisture begins to penetrate
- Non carcinogenic product, and environmentally friendlier
- Breather in series available - see images

USER TIPS:

- Heavy duty construction to ensure longevity
- Indicating window so you know when the gel is spent
- Environmentally friendly - non-cobalt gel

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

DISPOSABLE E-GEL BREATHER





Product Data

ITEM CODE & NAME:

- **09-YDDB1KG** Disposable Breather 1kg
- **09-YDDB1KG/V** Premium 2-Way Valve

SPECIFICATIONS:

- Desiccant Capacity: 1.0kg
- Standard 3/4 BSP threads - eliminating the need for expensive special threaded adaptors, assists in keeping the number of fittings required to a minimum, reducing costs and reducing the risk of air leaks
- Depending on the size of the oil reservoir, the Disposable Breathers can be simply fitted together and used in series. Again, this will greatly reduce the need for expensive fittings, thereby reducing costs and at the same time ensuring that all Breathers are functioning and performing at the same rate

- A 2-Way Valve Assembly can be purchased separately to the Disposable Breathers, and these Valves will provide full functionality for the e-Gel Silica Gel in Breathers to remove the moisture out of the system efficiently and cost effectively. These two-way Valves are a high quality item, thus ensuring controlled breathing in and out of the breather, and preventing free flow
- High quality with price in mind, delivering value and ensuring cost effective savings

USER TIPS:

- 2-way pressure valve means no free-flow of air
- No adapter needed - includes BSP thread
- Cost-effective

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

DG STORAGE & TRANSPORT

DG Storage & Transport Range

- > DG CABINETS
- > DG CARTONS
- > AEROSOL CABINETS
- > BUNDED PALLETS



Benefits

- Keeps you DG Storage compliant
- Conforms to Australian standards
- Multiple sizes and designs available
- FLAMGAS & FLAMLIQ and other
- Hazmat safe storage options available.

Applications

- Suited to Heavy Duty Industrial Storage
- Colour coding available for easy identification
- Professional DG advice available to give you peace of mind



DG CARTONS





Product Data

ITEM CODE & NAME:

- Dangerous Goods Cartons, Packing Group 1, 2 & 3
- **02-CDG080811** DG Carton 6.5kg
- **02-CDG101014** DG Carton 9.5kg
- **02-CDG141422** DG Carton 26kg
- **02-CDGHD121010** DG Carton 35kg
- **02-CDGHD081330** DG Carton 40kg
- **Item Code:** 02-CDG141422
- **Ext. Dimensions:** 350mmLx350mmWx560mmH
- **Cartons Per Pallet:** 160
- **Item Code:** 02-CDGHD121010 (Battery Box)
- **Ext. Dimensions:** 310mmLx240mmWx260mmH
- **Cartons Per Pallet:** 280

SPECIFICATIONS:

- **Item Code:** 02-CDG080811
- **Ext. Dimensions:** 185mmLx185mmWx245mmH
- **Cartons Per Pallet:** 480
- **Item Code:** 02-CDGHD081330 (Fire Extinguisher Box)
- **Ext. Dimensions:** 210mmLx320mmWx750mmH
- **Cartons Per Pallet:** 140
- **Item Code:** 02-CDG101014
- **Ext. Dimensions:** 255mmLx255mmWx330mmH
- **Cartons Per Pallet:** 300

USER TIPS:

- Heavy duty construction
- Keeps you DG Storage compliant

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

DG CABINETS





Product Data

ITEM CODE & NAME:

- **19-DG2503Y** 250L FLAMLIQ Cabinet
- **19-DG2502Y** 250L FLAMGAS Cabinet

- Heavy duty construction
- Keeps you DG Storage compliant

SPECIFICATIONS:

- Maximum Capacity: 250L + more sizes available
- Lockable
- Holds 9 x 20L Drums
- Conforms to AS1940-2004
- Available in FLAMGAS & FLAMLIQ

USER TIPS:

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

AEROSOL CAGES





Product Data

ITEM CODE & NAME:

- **19-DGAC363416** Aerosol Cage

SPECIFICATIONS:

- Ext. Dimensions:
900mmHx850mmWx400mmD
- Capacity: 108 Cans
- c/w 3 x Shelves
- Solid Steel Construction
- Powdercoated Finish
- Lockable
- Forkliftable Options
- Options to hold up to 432 cans approx

USER TIPS:

- Heavy duty construction
- Keeps you DG Storage compliant

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

BUNDED PALLET 4 DRUM WITH GRATE





Product Data

ITEM CODE & NAME:

- **13-BD444GR** Bunded Pallet with Grate 4 Drum

SPECIFICATIONS:

- To suit 4 x 205L Drums
- Ext. Dimensions: 1230mmx1230mmx260mm
- 250L Containment
- Waste Drain Bungs
- Removable Grate - Provide easy access to the bund sump for cleaning
- Forkliftable

USER TIPS:

- Compliant - ensures 110% Capacity
- UV Stabilised to ensure long-lasting
- Peace of mind with heavy duty construction

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

BUNDED PALLET 4 DRUM - PRC





Product Data

ITEM CODE & NAME:

- **13-BD444UPO** Bunded Pallet 4 Drum to suit pallet racking

SPECIFICATIONS:

- To suit 4 x 205L Drums
- Ext. Dimensions: 1250mmx1250mmx300mm
- 250L Containment
- Static Load Rating 3000kg
- Dynamic Load Rating 2000kg
- Waste Drain Bungs
- Under-rails - to prevent pallet tipping off the fork tynes
- Pallet Racking Compatible
- Forkliftable

USER TIPS:

- Saves you space by fitting on racking
- Forklift safe with under-rails
- Peace of mind with heavy duty construction

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

BUNDED PALLET IBC





Product Data

ITEM CODE & NAME:

- **13-BIBC1** Bunded Pallet to suit 1 x IBC

SPECIFICATIONS:

- 1 To suit 1 x IBC
- **Ext. Dimensions:** 1900mmx1500mmx750mmH
- Spill Capacity 1150 Litres
- Weight: 96kgs
- Waste Drain Bungs
- 2 x Removable Grates - to support IBC or Drums
- Bund material: Polyethylene
- Grate material: Polypropylene

USER TIPS:

- Compliant - ensures 110% Capacity
- UV Stabilised to ensure longer life
- Peace of mind with heavy duty construction

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

PALLET WRAPPERS & SCALES



Wrappers & Scales Range

> PALLET SCALES

> PALLET WRAPPERS

Benefits


- Multiple options available to suit your application and budget requirements
- Scales and Pallet Wrappers can be integrated for space efficiency
- Scales allow peace of mind that your load weights are correct
- Scale options to suit your weight totals and increments

Applications

- Designed for heavy industrial use
- Bench and floor options available
- Digital displays for easy reading
- Pallet wrapper ramp option allows for forklift / pallet jack access
- Training and installation available



PLATFORM PALLET SCALES





Product Data

ITEM CODE & NAME:

- **03-SP1T/IH1949** 1 Tonne Pallet Platform Scales
- **03-SP3T/IH1949** 3 Tonne Pallet Platform Scales
- **03-SP5T/IH1949** 5 Tonne Pallet Platform Scales

SPECIFICATIONS:

- 4 x 2000kg Load Cell
- 5m Cable in Conduit to Weighing Indicator
- Pan Size 1200 x 1200 (mm)
- 26mm LCD Display
- Internal Battery
- 240v IEC Lead

- Includes JAC 101 Indicator
- Hot Dip Galvanised
- Engineered long-life coating system Option Available
- Wall Bracket
- NMI Trade Approved

USER TIPS:

- Manufactured for Industrial Environments
- Helps ensure weights of loads are accurate and safe

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

SEMI-AUTOMATIC PALLET WRAPPER





Product Data

ITEM CODE & NAME:

- **03-OR1000** Semi-Automatic Pallet Wrapper (Standard)

SPECIFICATIONS:

- Eliminate the need for labour intensive, inefficient manual hand wrapping
- Rugged steel construction for long-term reliability
- Photocell eye for automatic height detection
- Forklift relocation slots for easy machine transportation/relocatable
- Automatic and manual wrapping programs
- Includes ramp for pallet truck access
- User friendly 'Soft Touch' controls
- Premium machines available with Scales
Technical Data

- Max height of wrapping: 2200 mm
- Max pallet size: 1200 x 1200 mm
- Turntable diameter: 1520 mm
- Max pallet size: 1200 x 1200 mm
- Turntable speed: 1-10 RPM
- Stretch film size: Up to 500 mm
- Load capacity: 2000 kg
- Power supply: 240v, single phase
- Warranty: 1 Year
- Machine weight: 450 kg

USER TIPS:

- Saves you manual labour time
- Gives the best stretch film coverage

CONTACT US NOW ON 1300 662 987 OR WWW.DAYWALK.COM

T 1300 662 987

DESIGN  LOGISTICS
WWW.DAYWALK.COM