












BHP Range List

RATED STEEL PALLETS		
Product Code	Image	Description
13-PSG1165		DAYWALK Storage Steel Pallet Slatted 1165mmLx1165mmWx185mmH Powdercoated Yellow c/w 4 x Lashing Points; Four Way entry; Pallet Racking Compatible; WLL 2.0T static storage only
13-PSEG1160		DAYWALK Spartan Steel Pallet Mesh Top 1160mmLx1160mmWx210mm H Galvanised Yellow c/w 4 x Lashing Points; Four Way entry; Pallet Racking Compatible; WLL 1.0T uniformly distributed load
13-PSEG2320		DAYWALK Spartan Steel Pallet Mesh Top 2320mmLx1160mmWx210mmH Galvanised Yellow c/w 6 x Lashing Points; Four Way entry; Pallet Racking Compatible; WLL 2.0T uniformly distributed load
<b>Pallets from this point on are compatible with DAYWALK Hold Down Bolts and Kits</b>		
13-PSGG1160 <b>BHP MN#: 1035 6652</b>		DAYWALK Heavy Duty Steel Pallet Mesh Top; 1160mmLx1160mmWx194mmH Galvanised Yellow c/w 4 x Lashing Points; Pallet Racking Compatible; WLL 2.0T uniformly distributed load
13-PSGG2320 <b>BHP MN#: 1035 6651</b>		DAYWALK Heavy Duty Steel Pallet Mesh Top; 2320mmLx1160mmWx194mmH Galvanised Yellow c/w 6 x Lashing Points; Pallet Racking Compatible; WLL 3.0T uniformly distributed load
13-PMGG2320/1500 <b>BHP MN#: 1129 0054</b>		DAYWALK Heavy Duty Steel Pallet Mesh Top; 2320mmLx1500mmWx194mmH Galvanised Yellow c/w 6 x Top Lashing Points, 8 x Base Lashing Points; WLL 3.5T uniformly distributed load



BHP Range List

<p>13- PSGG2320/1800/7T</p>	<p><b>Coming soon</b></p>	<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 2320mmLx1800mmWx194mmH Galvanised Yellow c/w 6 x Lashing Points; WLL 7.0T uniformly distributed load</p>
<p>13-PMGG2320/2320 <b>BHP MN#: 1129 0064</b></p>		<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 2320mmLx2320mmWx278mmH Galvanised Yellow c/w 6 x Top Lashing Points, 8 x Base Lashing Points; WLL 5.0T uniformly distributed load</p>
<p>13- PSGG3500/1500/10T <b>BHP MN#: 1117 4593</b></p>		<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 3500mmLx1500mmWx250mmH Galvanised Yellow c/w 10 x Lashing Points; WLL 10.0T uniformly distributed load</p>
<p>13-PMGG3500/1800 <b>BHP MN#: 1128 9760</b></p>		<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 3500mmLx1800mmWx275mmH Galvanised Yellow c/w 8 x Top Lashing Points, 8 x Base Lashing Points; WLL 5.5T uniformly distributed load</p>
<p>13-PMGG3500/2320</p>		<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 3500mmLx2320mmWx275mmH Galvanised Yellow c/w 8 x Top Lashing Points, 8 x Base Lashing Points; WLL 8.0T uniformly distributed load</p>
<p>13- PSGG3500/2320/12T</p>		<p>DAYWALK Heavy Duty Steel Pallet Mesh Top; 3500mmLx2320mmWx250mmH Galvanised Yellow c/w 10 x Lashing Points; WLL 12.0T uniformly distributed load</p>





BHP Range List

RATED STEEL PALLET ACCESSORIES		
Product Code	Image	Description
13-BDK158		DAYWALK Hold Down Bolt; M20 Thread; T-Bar with holding pins for locking to grid mesh; c/w Spring washer, Flat bar washer, Nut & Spring mesh attachment; 158mm thread overall length.
13-BDK258		DAYWALK Hold Down Bolt; M20 Thread; T-Bar with holding pins for locking to grid mesh; c/w Spring washer, Flat bar washer, Nut & Spring mesh attachment; 258mm thread overall length.
13-SP250/250		DAYWALK Square Spreader Plate (250x250mm); Compatible with Bolt Kit; c/w with Top & Bottom Load; Restraint Rubber Inserts
13-SP400/400		DAYWALK Square Spreader Plate (400x400mm); Compatible with Bolt Kit; c/w with Top & Bottom Load; Restraint Rubber Inserts
13-SP400/150		DAYWALK Square Spreader Plate (400x150mm); Compatible with Bolt Kit; c/w with Top & Bottom Load; Restraint Rubber Inserts
13-SP500/350		DAYWALK Square Spreader Plate (500x350mm); Compatible with Bolt Kit; c/w with Top & Bottom Load; Restraint Rubber Inserts
23-MRDL4523		DAYWALK Heavy Duty Anti Slip Mat 1160mm x 580mm; Coefficient of static friction 0.60 N / mm2 in accordance with DIN EN ISO 1798; UV Resistant.
23-MRDL4545		DAYWALK Heavy Duty Anti Slip Mat 1160mm x 1160mm; Coefficient of static friction 0.60 N / mm2 in accordance with DIN EN ISO 1798; UV Resistant.
23-MRDL4591		DAYWALK Heavy Duty Anti Slip Mat 2320mm x 1160mm x 8mm; Coefficient of static friction 0.60 N / mm2 in accordance with DIN EN ISO 1798; UV Resistant.








BHP Range List

RATED STEEL PALLET ACCESSORIES		
Product Code	Image	Description
<p><b>Refer Pallet User Guides &amp; Adjustable Stand User Guide for Suitable Use of the below system</b>  <b>Refer to Pallet exclusion zones before use</b></p>		
13- HS500/BRC/ND/KIT		<p>DAYWALK Horizontal 500mm Rail with Spreader Plate 350x555mm 2 x Medium Chocks w/ Rubber</p> <p>Includes 2 x 13-BDK158 bolts *Small Chocks not compatible</p>
13- HS1000/BRC/ND/KIT		<p>DAYWALK Horizontal 1000mm Rail with Spreader Plate 350x1035mm 2 x Medium Chocks w/ Rubber *Small Chocks not compatible</p> <p>Includes 2 x 13-BDK158 bolts *not compatible with PSGG1160 and PSGG2320</p>
13- VSA300/500/ND/KIT		<p>DAYWALK Vertical 300mm Stand with Spreader Plate 500mm Rail 2 x Small Chocks w/ Rubber</p> <p>Includes 2 x 13-BDK158 bolts</p>
13- VSA300/1000/ND/KIT		<p>DAYWALK Vertical 300mm Stand with Spreader Plate 1000mm Rail 2 x Small Chocks w/ Rubber</p> <p>*not compatible with PSGG1160 and PSGG2320</p> <p>Includes 2 x 13-BDK158 bolts</p>
13- VSA600/500/ND/KIT		<p>DAYWALK Vertical 600mm Stand with Spreader Plate 500mm Rail 2 x Small Chocks w/ Rubber</p> <p>Includes 2 x 13-BDK158 bolts</p>
13- VSA600/1000/ND/KIT		<p>DAYWALK Vertical 600mm Stand with Spreader Plate 1000mm Rail 2 x Small Chocks w/ Rubber</p> <p>*not compatible with PSGG1160 and PSGG2320</p>



BHP Range List

COMPONENT SPECIFIC ADJUSTABLE FRAMES		
Product Code	Image	Description
13- PSCS2700/700/3T/KIT		DAYWALK Heavy Duty Cylinder Frame; 2700mmLx700mmWx560mmH Galvanised Yellow c/w 8 x Lashing Points; WLL 3.0T; c/w Adjustable Rubber-lined chocks and Adjustable End Guards  Min cylinder length 1100mm; Max cylinder length 2200mm; Max cylinder dia. 600mm
13- PSCS2700/700/3T/SS/ KIT		DAYWALK Heavy Duty Cylinder Frame; 2700mmLx700mmWx560mmH Galvanised Yellow c/w 8 x Lashing Points; WLL 3.0T; c/w Adjustable Rubber-lined chocks and Adjustable End Guards; c/w Static Stacking Stanchions  Min cylinder length 1100mm; Max cylinder length 2200mm; Max cylinder dia. 600mm
13- PSCS1200/550/400KG/ SGLV/KIT		DAYWALK Small Spartan Cylinder Frame; 1200mmLx550mmWx350mmH Galvanised Yellow c/w 4 x Lashing Points; WLL 400kg; c/w Adjustable Rubber-lined chocks and Adjustable End Guards  Min cylinder length 640mm; Max cylinder length 1100mm; Max cylinder dia. 300mm
13- PSCS2100/550/800KG/ SGLV/KIT		DAYWALK Medium Spartan Cylinder Frame; 2100mmLx550mmWx350mmH Galvanised Yellow c/w 4 x Lashing Points; WLL 800kg; c/w Adjustable Rubber-lined chocks and Adjustable End Guards  Min cylinder length 990mm; Max cylinder length 2000mm; Max cylinder dia. 300mm
13-PCMP/MISC		DAYWALK Multi-Porta Range Powdercoated Yellow, Logistics Certified, Vibration-dampening, Weight range 4T to 30T; c/w Adjustable Slotted Arms; Includes DAYWALK QR Codes and Guidance



BHP Range List

<p>13-PCTR/MISC</p>		<p>DAYWALK Transporta Range Powdercoated Yellow, Logistics Certified, Vibration-dampening, Weight range 4T to 30T; c/w Solid Sheeted Ends, Removable Roof and Reusable Cover; Includes DAYWALK QR Codes and Guidance</p>
<p>13- PSDC/4500/1650/WHP /SC/KIT</p>		<p>DAYWALK Adjustable Pump Frame 4500mmLx1650mmW Powdercoated Yellow c/w Adjustable Slotted Arms; c/w Adjustable Arms and Chock System</p>

*January 2023 Range List*

The above prices are exclusive of GST

\* Contract Pricing applies

E&OE. Copyright © Omni-tuff Group Pty Ltd T/A Daywalk Pty Ltd

Subject to [TRADING TERMS & CONDITIONS](#)

Pricing Validity 30 Days 230101

