



GT-Xtreme

BATTERY STRAPPING TOOLS FOR PLASTIC STRAP





GT-Xtreme

GT-Xtreme is the newest model launched by DAYWALK to support its customer working in hard environments. Design associating to Siat concept is particularly suitable for demanding environments and very high number of cycles!

SPECIFICATIONS

Package type: Flat surface (min. 120 mm)
Round surface (min. diam. 700 mm)Strap quality: PP/PETStrap Width: 16 mm / 19 mmStrap thickness: from 0.7 mm up to 1.27 mmMax. tension on single strap: 4.200 NMax. tension on the package: 8.400 NMax. Tension speed: 9,0 mt/minJoint type: Friction weld sealWeight: 4 Kg. (inc. battery)Battery: Akku Power SP5 18 Vdc 5 Ah Li-Ion

KEY FEATURES

- » Weight: 4 Kg including battery (the lightest on the market)
- » Functioning mode: automatic / manua
- » Brushless motor with encoder
- » Perfect handling
- » Robust plastic cover with natural rubber handle
- Front & rear guides adjustable for the strap dimensions
- » Conical gear box to improve performances
- » Stainless steel components to avoid rust

OPTIONS

- » Addictional Akku Power SP5 Battery 18 Vdc 5 Ah Li-Ion
- » Battery charger for Li-Ion Battery Akku Power

<image>







USB connection.

Battery removal system.



GT-SERIES KEY FEATURES

- » Easy to use tool. The lightest in the market for its category
 » Compact and ergonomic design with non-slip rubber handle
- » Efficient operation due to good balance
- » Simple and user-friendly interface
- » Digital display with visible parameters
- » Low maintenance required, due to brushless motor
- » Suitable for different strap sizes: i.e. 16 mm and 19 mm (0'5⁄8 and 0'3⁄4)
- » Stable performances due to Li-lon battery technology (with no "memory effect")
- » Option to lock the keypad in order to improve safety
- » Easy removable casing for quick maintenance

STRAPPING IS NOTHING WITHOUT CONTROL

Siat new **GT-Xtreme** moto is: Same look new heart as the machine is design based on Siat milestones: perfect balance, perfect handling (thanks to the low weight), reliability and strength, adding the efficiency of bevel gears into the gearbox and highest performance due to the brushless motor and the overtime durability given by stainless steal components!



Thanks to the new BMS (Battery Management System) the tool can check the battery status and can interact with it through the electronic board. The Battery (depending on the application and usage of the machine) can reach up to 300 cycles per single battery charge, and more than 500 charge and discharge cycles. The power and high energy of the CT-Xtreme battery will allow you to work without stopping. PN C521012320Z

Universal Battery charger will ensure protection on thresholds for temperature and internal pressure of the charging batteries to improve quality and increase battery life.

Contact Us DAYWALK www.daywalk.com 1300 662 987

